CERTIFIKAT

CERTIFICATE

Social- og Boligstyrelsen

GODKENDT TIL DRIKKEVAND

Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevare i Danmark og til at mærke byggevaren med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

GODKENDELSE NR. / APPROVAL NO.:	**03/00112**
UDSTEDT / DATE OF ISSUE:	**18-03-2026**
UDLØBER / EXPIRY DATE:	**17-03-2031**
GODKENDELSESINDEHAVER / APPROVAL HOLDER:	**CVR-nummer 87562018** **JCH A/S** **Karetmagervej 21** **7100 Vejle** **DK, Danmark**
BYGGEVARE / BUILDING COMPONENT:	**JCH Kontrollerbar kontraventiler Type 2290 og 2294**

BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 18-03-2026 om godkendelse af ovennævnte byggevare i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver. Markedsføring og salg af byggevaren efter nærværende godkendelse omfatter de versioner af byggevaren, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 18-03-2026 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder.
Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

CERTIFIKATET ER UDSTEDT AF:
THE CERTIFICATE IS ISSUED BY:

København, den 18-03-2026

Social- og Boligstyrelsen
Danish Authority of Social Services and Housing
Holmens kanal 22,
1060 København K
Mail: GDV@sbst.dk
Web: www.sbst.dk

Social-, Bolig- og Ældreministeriet

BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:	**03/00112**

VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN:
VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

OVERORDNEDE INFORMATIONER OM BYGGEVAREN
GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

BYGGEVAREN: BUILDING COMPONENT:	**JCH Kontrollerbar kontraventiler Type 2290 og 2294**

VERSIONER
VERSIONS

VARETEKST: ITEM TEXT:	**DN:** DN:	**Dimension:** Dimension:	**Varenummer:** Item No.:
Type 2290			
3/8" kontrollerbar kontraventil med muffer	10	3/8”	430327-003
1/2" kontrollerbar kontraventil med muffer	15	½”	430327-004
3/4" kontrollerbar kontraventil med muffer (testversion)	20	¾”	*430327-006*
1" kontrollerbar kontraventil med muffer	25	1”	430327-008
1 1/4" kontrollerbar kontraventil med muffer	32	1 ¼”	430327-010

1 1/2" kontrollerbar kontraventil med muffer	40	1 ½”	430327-011
2" kontrollerbar kontraventil med muffer	50	2”	430327-012
Type 2294			
12mm kontrollerbar kontraventil med klemrings tilslutning	12	12mm	2294-012
15mm kontrollerbar kontraventil med klemrings tilslutning	15	15mm	2294-015
18mm kontrollerbar kontraventil med klemrings tilslutning	18	18mm	2294-018
22mm kontrollerbar kontraventil med klemrings tilslutning	22	22mm	2294-022
28mm kontrollerbar kontraventil med klemrings tilslutning	28	28mm	2294-028

PRODUKTSPEKTER FOR OMFATTEDE VARIANTPRODUKTER
PRODUCT RANGE FOR ”ON-DEMAND” VARIANTS INCLUDED

DN DN	**MINDSTE:** SMALLEST:	10mm
	STØRSTE: LARGEST:	50mm
LÆNGDE LENGTH	**MINDSTE:** SMALLEST:	51mm
	STØRSTE: LARGEST:	112mm
ANDET OTHER	-	